



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/829,559	04/22/2004	Asher Hazanchuk	ALT.P030 (A1252)	6357
27296	7590	04/01/2008	EXAMINER	
LAWRENCE M. CHO			DO, CHAT C	
P.O. BOX 2144			ART UNIT	
CHAMPAIGN, IL 61825			PAPER NUMBER	
			2193	
			MAIL DATE	
			DELIVERY MODE	
			04/01/2008	
			PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/829,559	Applicant(s) HAZANCHUK ET AL.	
	Examiner CHAT C. DO	Art Unit 2193	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 09 January 2008.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1,3 and 5-22 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1,3 and 5-22 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 04/22/2004 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

1. This communication is responsive to Amendment filed 01/09/2008.
2. Claims 1, 3 and 5-22 are pending in this application. Claims 1, 11, 17 and 21-22 are independent claims. In Amendment, claims 2 and 4 are cancelled and claims 21-22 are added. This Office Action is made final.

Claim Rejections - 35 USC § 101

3. 35 U.S.C. 101 reads as follows:

Whoever invents or discovers any new and useful process, machine, manufacture, or composition of matter, or any new and useful improvement thereof, may obtain a patent therefor, subject to the conditions and requirements of this title.

4. Claims 1, 3 and 5-22 are rejected under 35 U.S.C. 101 because the claimed invention is directed to non-statutory subject matter.

Claims 1, 3 and 5-22 cite a method and device for performing multiplication in accordance with a predetermined mathematical algorithm. However, claims 1, 3 and 5-22 merely disclose series of steps for performing sum of shift products without providing a practical application. In addition, claims 1, 3, and 5-22 appear to preempt every substantial practical application of the idea embodied by the claims. Therefore, claims 1, 3 and 5-22 are directed to non-statutory subject matter.

Claim Rejections - 35 USC § 103

5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

6. Claims 1, 3, 5-7, 9 and 11-22 are rejected under 35 U.S.C. 103(a) as being unpatentable over Bhandal et al. (U.S. 6,711,602) in view of Schier et al. (U.S. 7,046,723).

Re claim 1, Bhandal et al. disclose in Figures 1-22 a method for performing multiplication (e.g. abstract and Figure 8 as general architecture of multiplier), comprising: generating a product by multiplying a first plurality of bits from a first number and a first plurality of bits from a second number (e.g. Figure 11B wherein SRC1_L as B is multiplying with SRC2_L as D by B*D) using a digital signal processor (DSP) configured to perform multiplication on a fewer number of bits than those forming the first and second numbers (e.g. by multiplier 800 in Figure 8 wherein the multiplier 800 performs 16 bits multiplication of 32 bits operands); a product of a second plurality of bits from the first number and a second plurality of bits from the second number (e.g. Figure 11B wherein SRC1_H as A is multiplying with SRC2_H as C by A*C); scaling the product with respect to a position of the first plurality of bits from the first number and a position of the first plurality of bits from the second number (e.g. by shifter 810 in Figure 8) and scaling the stored value with respect to a position of the second plurality of bits from the first number and a position of the second plurality of bits from the second number (e.g. by shifter 811 in Figure 8); and summing a scaled product and a scaled

stored value to generate a value representing a product of the first number and the second number (e.g. output of adder 820 in Figure 8 and Figure 11B), wherein the first number and the second number each have a number of bits equal to or greater than a total of the first and second plurality of bits (e.g. Figure 11B wherein each of input operands consist of 32 bits and each of input multiplied operand is 16 bits).

Bhandal et al. fail to disclose the multiplier is on a field programmable gate array and the second product is retrieved from a memory. However, Schier et al. disclose in Figures 1-4 the multiplier is on a field programmable gate array (e.g. abstract) and the second product is retrieved from a memory (e.g. any intermediate product from the LUT in Figures 1-4 as b1x).

Therefore, it would have been obvious to a person having ordinary skill in the art at the time the invention is made to add the multiplier is on a field programmable gate array and the second product is retrieved from a memory as seen in Schier et al.'s invention into Bhandal et al.'s invention because it would enable to improve system performance (e.g. col. 3 lines 9-11 and col. 4 lines 9-12).

Re claim 3, Bhandal et al. further disclose in Figures 1-22 the DSP block is configured to multiply two numbers of equal bit length (e.g. 16 bits by 16 bits in Figure 11B).

Re claim 5, Bhandal et al. further disclose in Figures 1-22 scaling the product comprises shifting bits in the product relative to a global least significant bit (e.g. Figures 8 and 11B).

Re claim 6, Bhandal et al. further disclose in Figures 1-22 scaling the stored value comprises shifting bits in the product relative to a global least significant bit (e.g. Figures 8 and 11B).

Re claim 7, Bhandal et al. fail to disclose in Figures 1-22 retrieving a second stored value designated as a product of a third plurality of bits from the first number and a third plurality of bits from the second number; retrieving a third stored value designated as a product of a fourth plurality of bits from the first number and a fourth plurality of bits from the second number; scaling the second stored value with respect to a position of the third plurality of bits from the first number and a position of the third plurality of bits from the second number and scaling the third stored value with respect to a position of the fourth plurality of bits from the first number and a position of the fourth plurality of bits from the second number, and summing a scaled second stored value and a scaled third stored value. However, Schier et al.'s disclose in Figures 1-4 retrieving a second stored value designated as a product of a third plurality of bits from the first number and a third plurality of bits from the second number (e.g. b2x in Figure 1); retrieving a third stored value designated as a product of a fourth plurality of bits from the first number and a fourth plurality of bits from the second number (e.g. b3x in Figure 1); scaling the second stored value with respect to a position of the third plurality of bits from the first number and a position of the third plurality of bits from the second number (e.g. bit shift left in Figures 2-4) and scaling the third stored value with respect to a position of the fourth plurality of bits from the first number and a position of the fourth plurality of bits

from the second number (e.g. bit shift left in Figures 2-4), and summing a scaled second stored value and a scaled third stored value (e.g. output of adder 3 in Figure 1).

Therefore, it would have been obvious to a person having ordinary skill in the art at the time the invention is made to retrieving a second stored value designated as a product of a third plurality of bits from the first number and a third plurality of bits from the second number; retrieving a third stored value designated as a product of a fourth plurality of bits from the first number and a fourth plurality of bits from the second number; scaling the second stored value with respect to a position of the third plurality of bits from the first number and a position of the third plurality of bits from the second number and scaling the third stored value with respect to a position of the fourth plurality of bits from the first number and a position of the fourth plurality of bits from the second number, and summing a scaled second stored value and a scaled third stored value as seen in Schier et al.'s invention into Bhandal et al.'s invention because it would enable to improve system performance (e.g. col. 4 lines 3-21).

Re claim 9, it has similar limitations cited in claim 7. Thus, claim 9 is also rejected under the same rationale as cited in the rejection of rejected claim 7.

Re claim 11, Bhandal et al. disclose in Figures 1-22 a method for implementing a multiplier (e.g. abstract and Figure 8 as general architecture), comprising: configuring a digital signal processor (DSP) to perform multiplication on a first plurality of bits from a first number and a first plurality of bits from a second number (e.g. Figure 11B with product $B \cdot D$); products resulting from multiplication of a second plurality of bits from the first number and a second plurality of bits from the second number (e.g. Figure 11B

with product $A * C$); routing an output from the DSP to an adder such that the output from the DSP is scaled according to a position of the first plurality of bits from the first number and a position of the first plurality of bits from the second number (e.g. by shifter 810 in Figure 8), routing an output as second product to the adder (e.g. adder 820 in Figure 8) such that the output is scaled according to a position of the second plurality of bits from the first number and a position of the second plurality of bits from the second number (e.g. by shifter 811 in Figure 8), and outputting a value representing a product of the second number where the first and second number each have more than the first plurality of bits (e.g. output of adder 820 in Figure 8), wherein the DSP is configured to support multiplication of no more than the first plurality of bits (e.g. 16 bits by 16 bits).

Bhandal et al. fail to disclose the multiplier is on a field programmable gate array and the second product is stored/retrieved from a memory. However, Schier et al. disclose in Figures 1-4 the multiplier is on a field programmable gate array (e.g. abstract) and the second product is stored/retrieved from a memory (e.g. any intermediate product from the LUT in Figures 1-4 as b1x).

Therefore, it would have been obvious to a person having ordinary skill in the art at the time the invention is made to add the multiplier is on a field programmable gate array and the second product is stored/retrieved from a memory as seen in Schier et al.'s invention into Bhandal et al.'s invention because it would enable to improve system performance (e.g. col. 3 lines 9-11 and col. 4 lines 9-12).

Re claim 12, it has similar limitations cited in claim 7. Thus, claim 12 is also rejected under the same rationale as cited in the rejection of rejected claim 7.

Re claim 13, Bhandal et al. further disclose in Figures 1-22 configuring the DSP comprises determining a number of bits that the DSP will multiply (e.g. Figure 11B).

Re claim 14, Bhandal et al. further disclose in Figures 1-22 determining a number of the second plurality of bits from the first number and a number of the second plurality of bits from the second number (e.g. Figure 11B).

Re claim 15, Bhandal et al. further disclose in Figures 1-22 routing the output from the DSP has the effect of shifting the output from the DSP to a more significant bit position (e.g. left shifting 810 in Figure 8).

Re claim 16, Bhandal et al. fail to disclose in Figures 1-22 routing the output from the memory has the effect of shifting the output from the memory to a more significant bit position. However, Schier et al. disclose in Figures 1-4 routing the output from the memory has the effect of shifting the output from the memory to a more significant bit position (e.g. by bit shift left in Figures 2-4).

Therefore, it would have been obvious to a person having ordinary skill in the art at the time the invention is made to add routing the output from the memory has the effect of shifting the output from the memory to a more significant bit position as seen in Schier et al.'s invention into Bhandal et al.'s invention because it would enable to improve system performance (e.g. col. 3 lines 9-11 and col. 4 lines 9-12).

Re claim 17, Bhandal et al. disclose in Figures 1-22 a multiplier (e.g. abstract and Figure 8 as general architecture), comprising: a digital signal processor (DSP) configured to perform multiplication on a first plurality of bits from a first number and a first plurality of bits from a second number (e.g. Figure 11B to produce $B \cdot D$); a product

resulting from multiplication of a second plurality of bits from the first number and a second plurality of bits from the second number (e.g. Figure 11B to produce $A * C$); and an adder that sums (e.g. by adder 820 in Figure 8) a scaled output of the DSP and a scaled output of the second product to output a value representing a product of the first and second number where the first and second number each have more than the first plurality of bits (e.g. by shifters 810 and 811 respectively), wherein the DSP is only configurable to support multiplication of a number of bits equal to or less than the first plurality of bits (e.g. multiplier performs 16 by 16 bits).

Bhandal et al. fail to disclose the second product is stored/retrieved from a memory. However, Schier et al. disclose in Figures 1-4 the second product is stored/retrieved from a memory (e.g. any intermediate product from the LUT in Figures 1-4 as b1x).

Therefore, it would have been obvious to a person having ordinary skill in the art at the time the invention is made to add the second product is stored/retrieved from a memory as seen in Schier et al.'s invention into Bhandal et al.'s invention because it would enable to improve system performance (e.g. col. 3 lines 9-11 and col. 4 lines 9-12).

Re claim 18, Bhandal et al. fail to disclose in Figures 1-22 the DSP, the memory, and the adder reside on a field programmable gate array. However, Schier et al. disclose in Figures 1-4 the DSP, the memory, and the adder reside on a field programmable gate array (e.g. abstract).

Therefore, it would have been obvious to a person having ordinary skill in the art at the time the invention is made to add the DSP, the memory, and the adder reside on a

field programmable gate array as seen in Schier et al.'s invention into Bhandal et al.'s invention because it would enable to improve system performance (e.g. col. 3 lines 9-11 and col. 4 lines 9-12).

Re claim 19, it has similar limitations cited in claim 7. Thus, claim 19 is also rejected under the same rationale as cited in the rejection of rejected claim 7.

Re claim 20, Bhandal et al. further disclose in Figures 1-22 the adder sums a scaled output of the second memory with the scaled output of the DSP and the scaled output of the memory (e.g. by adder 820 or adder 3).

Re claim 21, Bhandal et al. disclose in Figures 1-22 a method for implementing a multiplier (e.g. abstract and Figure 8 as general architecture), comprising: configuring a digital signal processor (DSP) to perform multiplication on a first n bits from a first number and a first n bits from a second number (e.g. by product $B*D$ in Figure 11B); products resulting from multiplication of a second m bits from the first number and a second m bits from the second number (e.g. by product $A*C$ in Figure 11B); routing an output from the DSP to an adder (e.g. adder 820 in Figure 8) such that the output from the DSP is scaled according to a position of the first n bits from the first number and a position of the first n bits from the second number (e.g. by shifter 810 in Figure 8); routing an output of the second product to the adder such that the output from the memory is scaled according to a position of the second m bits from the first number and a position of the second m bits from the second number (e.g. by shifter 811 in Figure 8); and outputting a value representing a product of the first and second number where the

first and second number each have at least $n + m$ number of bits (e.g. output of adder 820 in Figure 8 and Figure 11B).

Bhandal et al. fail to disclose the multiplier is on a field programmable gate array and the second product is retrieved from a memory. However, Schier et al. disclose in Figures 1-4 the multiplier is on a field programmable gate array (e.g. abstract) and the second product is retrieved from a memory (e.g. any intermediate product from the LUT in Figures 1-4 as b1x).

Therefore, it would have been obvious to a person having ordinary skill in the art at the time the invention is made to add the multiplier is on a field programmable gate array and the second product is retrieved from a memory as seen in Schier et al.'s invention into Bhandal et al.'s invention because it would enable to improve system performance (e.g. col. 3 lines 9-11 and col. 4 lines 9-12).

Re claim 22, Bhandal et al. disclose in Figures 1-22 a multiplier (e.g. abstract and Figure 8 as general architecture), comprising: a digital signal processor (DSP) configured to perform $n \times n$ multiplication on a first plurality of bits from a first number and a first plurality of bits from a second number (e.g. produce $B \times D$ in Figure 11B with 16×16 bits multiplication); products resulting from multiplication of a second plurality of bits from the first number and a second plurality of bits from the second number (e.g. produce $A \times C$ in Figure 11B with 16×16 bits multiplication); and an adder that sums a scaled output of the DSP and a scaled (e.g. scaling by shifters 810 and 811 in Figure 8) output of the memory to output a value representing a product of the first and second number (e.g. by

adder 820 in Figure 8) where the first and second number each have more than n bits (e.g. each have 32 bits or $2n$ total in Figure 11B).

Bhandal et al. fail to disclose the second product is stored/retrieved from a memory. However, Schier et al. disclose in Figures 1-4 the second product is stored/retrieved from a memory (e.g. any intermediate product from the LUT in Figures 1-4 as b1x).

Therefore, it would have been obvious to a person having ordinary skill in the art at the time the invention is made to add the second product is stored/retrieved from a memory as seen in Schier et al.'s invention into Bhandal et al.'s invention because it would enable to improve system performance (e.g. col. 3 lines 9-11 and col. 4 lines 9-12).

Response to Arguments

7. Applicant's arguments with respect to claims 1, 3 and 5-22 have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after

the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Chat C. Do whose telephone number is (571) 272-3721. The examiner can normally be reached on M => F from 7:00 AM to 5:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Lewis Bullock can be reached on (571) 272-3759. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

/Chat C. Do/
Primary Examiner, Art Unit 2193

March 28, 2008